



السنة الدولية لصحة النبات 2020

قائمة بحوث آفات ساق شجر الزيتون

آفات أشجار الزيتون

قائمة الأوراق البحثية العربية المنشورة منذ عام 2015 مرتبة حسب عدد الاقتباسات حول ما يلي: فراشة النمر (*Zeuzera pyrina*), ذبابة قلف أغصان الزيتون (*Resseliella oleisuga*), مرض العفن الفحمي (*Botryosphaeria sp.*), لفحة بتريوسفيريا (*Macrophomina phaseolina*)، مرض التدرن التاجي (*Pseudomonas savastanoi*) ومرض سل الزيتون (*Agrobacterium tumefaciens*).

المصدر: Scopus

نوع الأوراق: Article & Review

1. [An in Vitro Attempt for Controlling Severe Phytopathogens and Human Pathogens Using Essential Oils from Mediterranean Plants of Genus *Schinus*](#)
Elshafie, H.S., Ghanney, N., Mang, S.M., Ferchichi, A., Camele, I.
(2016) Journal of Medicinal Food, 19 (3), pp. 266-273.
2. [Identification of fungal species associated with branch dieback of olive and resistance of table cultivars to *Neofusicoccum mediterraneum* and *Botryosphaeria dothidea*](#)
Moral, J., Agustí-Brisach, C., Pérez-Rodríguez, M., Xaviér, C., Raya, M.C., Rhouma, A., Trapero, A.
(2017) Plant Disease, 101 (2), pp. 306-316.
3. [Population dynamics and economic losses caused by *Zeuzera pyrina*, a cryptic wood-borer moth, in an olive orchard in Egypt](#)
Hegazi, E., Schlyter, F., Khafagi, W., Atwa, A., Agamy, E., Konstantopoulou, M.
(2015) Agricultural and Forest Entomology, 17 (1), pp. 9-19.
4. [Comparative study of quality traits of entomopathogenic nematodes before and after passing through certain insect hosts](#)
Saleh, M.M.E., Hussien, M.A., Metwally, H.M.S., Ebadah, I.M.
(2015) Egyptian Journal of Biological Pest Control, 25 (1), pp. 237-243.



5. The repellent and toxic effects of some eco-friendly formulations against the important olive tree insects in Egypt
Abd El-Salam, A.M.E., Salem, S.A., El-Kholy, M.Y., Abdel-Rahman, R.S.
(2018) Bioscience Research, 15 (4), pp. 3914-3925.

6. Seasonal prevalence and histopathology of Beauveria bassiana infecting larvae of the leopard moth, Zeuzera pyrina L. (Lepidoptera: Cossidae)
Ibrahim, R., Alahmadi, S., Binnaser, Y.S., Shawer, D.
(2019) Egyptian Journal of Biological Pest Control, 29 (1), art. no. 65, .

7. Anatomical pathogenesis and histological interaction between Pseudomonas savastanoi pv. savastanoi strain KT11 and Pseudomonas fluorescens strain PICF4 in olive knots
Ghanney, N., Ferchichi, A.
(2019) Journal of Plant Pathology, 101 (4), pp. 1025-1034.

8. Screening of the high-rhizosphere competent limoniastrum monopetalum' culturable endophyte microbiota allows the recovery of multifaceted and versatile biocontrol agents
Slama, H.B., Triki, M.A., Bouket, A.C., Mefteh, F.B., Alenezi, F.N., Luptakova, L., Cherif-Silini, H., Vallat, A., Oszako, T., Gharsallah, N., Belbahri, L.
(2019) Microorganisms, 7 (8), art. no. 249, .

9. Potential effect of antagonistic bacteria in the management of olive knot disease caused by Pseudomonas savastanoi pv. Savastanoi
Bouaichi, A., Benkirane, R., El-Kinany, S., Habbadi, K., Lougraimzi, H., Sadik, S., Benbouazza, A., Achbani, E.H.
(2019) Journal of Microbiology, Biotechnology and Food Sciences, 8 (4), pp. 1035-1040.



10. [Molecular identification, in vitro copper resistance and antibiotics susceptibility of the causal agent of the olive knot disease in Morocco](#)
Abdelaaziz, B., Hanane, L., Mohamed, O.-Z., Imad, K., Khaoula, H., Abdellatif, B., Rachid, B., El Hassan, A.
(2019) Malaysian Journal of Microbiology, 15 (5), pp. 351-357.

11. [Plant diseases associated with olive bark midge in west-bank palestine](#)
Samara, R., Alkowni, R., Qubbaj, T., Abu-Qaoud, H., Jarrar, S.
(2018) Research on Crops, 19 (4), pp. 712-719.